CONTENTS OF *AQUATIC BOTANY*, VOLUME 35

VOL. 35 NO. 1 SEPTEMBER 1989

Special Issue: Reed and Reed Decline in Europe

Introduction

Reed, a common species in decline
C. den Hartog (Nijmegen, The Netherlands), J. Květ (Třeboň, Czechoslovakia) and H. Sukopp (Berlin, F.R.G.) 1

'Die-back' of reeds in Europe — a critical review of literature
W. Ostendorp (Konstanz, F.R.G.) 5

Changes of the reed beds along the Berlin Havel 1962–1987
H. Sukopp and B. Markstein (Berlin, F.R.G.) 27

Regression of *Phragmites australis* reedswamps and recent changes of water chemistry in the Norfolk Broadland, England
R.R. Boar, C.E. Crook and B. Moss (Norwich, Gt. Britain) 41

Decline of reed at Lake Constance (Obersee) since 1967 based on interpretations of aerial photographs
P. Krumscheid, H. Stark and M. Peintinger (Konstanz, F.R.G.) 57

Dynamics of lakeside reed belts at Lake Constance (Untersee) from 1984 to 1987
H. Stark and M. Dienst (Konstanz, F.R.G) 63

Influence of substrate conditions on the growth of *Phragmites australis* after a reduction in oxygen transport to below-ground parts
S.E.B. Weisner and W. Graneli (Lund, Sweden) 71

Gas exchange through dead culms of reed, *Phragmites australis* (Cav.) Trin. ex Steudel
H. Brix (Risskov, Denmark) 81

Influence of standing litter on shoot production in reed, *Phragmites australis* (Cav.) Trin. ex Steudel
W. Granéli (Lund, Sweden) 99

General changes in the Matsalu Bay reedbeds in this century and their present quality (Estonian SSR)
T. Ksenofontova (Tartu, U.S.S.R.) 111

Distribution of heavy metals in a reed marsh on a riverbank in Japan
T. Suzuki and Y. Kurihara (Sendai, Japan) and K. Moriyama (Yokosuka, Japan) 121

Short Communication

Early decay of *Phragmites* thatch: an outline of the problem
S.M. Haslam (Cambridge, Gt. Britain) 129

VOL. 35 NO. 2 OCTOBER 1989

Distribution and biomass of aquatic macrophytes in an abandoned nuclear cooling reservoir
M.S. Kelly (Aiken, SC. U.S.A.) 133

On the life cycle and germination of *Hottonia palustris* L. in a wetland forest
T.C.M. Brock, H. Mielo and G. Oostermeijer (Amsterdam, The Netherlands) 153

Seed dispersal of three nymphaeid macrophytes
A.J.M. Smits, R. van Ruremonde and G. van der Velde (Nijmegen, The Netherlands) 167

Alteration of water hyacinth (*Eichhornia crassipes* (Mart.) Solms) leaf dynamics and phytochemistry by insect damage and plant density
T.D. Center and T.K. Van (Fort Lauderdale, FL, U.S.A.) 181
Techniques for the electrophoresis of mangrove tissue
J.A. Goodall and J.A. Stoddart (Townsville, Qld., Australia) 197
Comparison of cell wall composition of tissures from the seagrasses *Halophila* and *Halodule*
K. W. Waldron (Norwich, Gt. Britain), E.A.H. Baydoun (Beirut, Lebanon) and C.T. Brett (Glasgow, Gt. Britain) 209

Book Reviews
Tidal marshes 219
Ecophysiology of algae 220
Seaweeds of Macquarie Island 221

VOL. 35 NOS 3–4 NOVEMBER 1989

The genus *Isoëtes* in Scandinavia: an ecological review and perspectives
B. Rørslett and P. Brettum (Oslo, Norway) 223
Detrital processing in seagrass systems: a review of factors affecting decay rates, remineralization and detritivory
P.G. Harrison (Vancouver, B.C., Canada) 263
Aspects of nitrogen acquisition and conservation in eelgrass plants
J. Borum (Hillerød, Denmark), L. Murray (Salisbury, MD, U.S.A.) and W.M. Kemp (Cambridge, MD, U.S.A.) 289
Ecological studies on *Potamogeton pectinatus*. IV. Nutritional ecology, field observations
R.J. van Wijk (Nijmegen, The Netherlands) 301
Ecological studies on *Potamogeton pectinatus* L. V. Nutritional ecology, in vitro uptake of nutrients and growth limitation
R.J. van Wijk (Nijmegen, The Netherlands) 319
Habitat conditions of the phytocoenoses of Myriophylletum alterniflori Lemée 1937 em. Siss. 1943, Myriophylletum verticillati Soó 1927 and Myriophylletum spicati Soó 1927 in Poland
S. Kłosowski and H. Tomaszewicz (Warsaw, Poland) 337
Grazing effect of two *Gibbula* species (Mollusca, Archaeogastropoda) on the epiphytic community of *Posidonia oceanica* leaves
L. Mazzella and G.F. Russo (Ischia, Italy) 357
Apoplastic tracer studies in the leaves of a seagrass. II. Pathway into leaf veins
A.D. Barnabas (Durban, South Africa) 375
Role of temperature, light and date: seeds were exhumed from soil on germination of four wetland perennials
J.M. Baskin, C.C. Baskin (Lexington, KY, U.S.A.) and D.M. Spooner (Madison, WI, U.S.A.) 387

Short Communications
Tunneling bacteria in decaying leaves of a seagrass
D. Porter, W.L. Lingler (Athens, GA, U.S.A.) and S.Y. Newell (Sapelo Island, GA, U.S.A.) 395
The influence of temperature and light intensity on activity of water hyacinth (*Eichhornia crassipes* (Mart. Solms.)
O. Urbanc-Berčič and A. Gabersščik (Slovenija, Yugoslavia) Seasonal variation in phenolic content of eelgrass shoots
P.G. Harrison and C. Durance (Vancouver, B.C., Canada) 409

Author Index 415